

SAFETY DATA SHEET

Evergreen Pre-Soak Silver Dip

SECTION 1: PRODUCT IDENTIFICATION**PRODUCT NAME:** Evergreen Pre-Soak Silver Dip

Chemical Name: Compound Liquid

Manufacturer: Glissen Chemical Co. Inc.
 1321 – 58TH STREET
 BROOKLYN, NY 11219
 (800) 356-9922 FOR INFORMATION AND EMERGENCIES
 Effective Date: March 1, 1997 (revision #3)

SECTION 2: PHYSICAL DATA

Boiling Point: 212 Degrees F
 Freezing Point: 32 Degrees F
 Weight Per Gallon: 8.5
 Vapor Density: N/E
 Evaporation Rate: N/A
 Solubility in Water: Complete
 PH: 9
 Appearance and Fragrance: Blue/Green - Mild
 Specific Gravity (H2O-1): 1

SECTION 3: COMPOSITION INFORMATION

INGREDIENT	APPROX. WT%	TLV	PEL	CASE #
Trisodium Phosphate	N/A	N/E	N/E	10101 89 0
Sodium Chloride	N/A	N/E	N/E	7647-14-5

SECTION 4: HAZARDOUD INGREDIENTS

<u>INGREDIENT</u>	<u>APPROX. WT%</u>	<u>TLV</u>	<u>PEL</u>	<u>CASE #</u>
--------------------------	---------------------------	-------------------	-------------------	----------------------

* Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard 29CFR 1910 1200.

SECTION 5: TOXOLOGICAL PROPERTIES

Threshold Limit Value:	No limit determined
Effects of Acute Exposure:	
Ingestion:	Intense Mucous membrane irritation
Inhalation:	Prolonged exposure may produce headaches, and mucous membrane irritation
Skin Contact:	Direct contact will cause irritation
Eye Contact:	Direct contact will cause extensive irritation
Effects of Chronic Exposure:	None determined

SECTION 6: PREVENTIVE MEASURES

INDUSTRIAL HYGIENE IN THE WORKPLACE

RESPIRATORY PROTECTION: None required in well-ventilated areas. An approved organic vapor full-face respirator is advised for poor ventilation or spray applications

VENTILATION: LOCAL EXHAUST – None required

MECHANICAL (GENERAL) – Provide adequate ventilation

PROTECTIVE GLOVES: Wear rubber gloves

EYE PROTECTION: Wear approved safety glasses with side shields

OTHER PROTECTIVE EQUIPMENT: Wear protective work clothes

STORAGE AND HANDLING PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store at 40F-90F, this product is safe for consumer resale. Keep from freezing. Keep away from Fire and Heat (any ignition source). Keep containers closed when not in use. Provide adequate ventilation.

KEEP OUT OF REACH OF CHILDREN

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Halt spill at source and contain or dike spill with inert absorbent material. Transfer liquid to containers for recovery or disposal. Shovel absorbent into drums for disposal in accordance with local, state and federal regulations.

RECOMMENDED WASTE DISPOSAL METHODS: Material should not be flushed into sewer system. If this material becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor listed in Subpart D. After the material has been collected, dispose of in accordance with regulations applicable to non-hazardous liquid wastes.

SECTION 7: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURES

INGESTION: Do not induce vomiting. Administer large amounts of milk and call a physician

INHALATION: Remove to fresh air and consult with a physician if symptoms persist

SKIN CONTACT: Promptly wash area with soap and water, and rinse thoroughly. Remove contaminated clothing

EYE CONTACT: Promptly flush eyes with large amounts of fresh water for at least 15 minutes. Contact a physician immediately

SECTION 8: REGULATORY INFORMATION

Superfund amendment and reauthorization act of 1986 (SARA TITLE III)

SECTION 302 – EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): This product does not contain materials listed in Appendix A and B as an Extremely Hazardous Substance.

SECTION 311/312 – MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370): Materials listed in 29 CFR 1910, Subpart Z are identified in Section III. None are known or suspected carcinogens listed by the National Toxicology Program, International Agency of Research on Cancer or OSHA.

SECTION 313 – LIST OF TOXIC CHEMICALS (40 CFR 372): Listed materials contained in this product are identified in Sections III or IV of this MSDS.

TOXIC SUBSTANCES CONTROL ACT (TSCA)

Not available.

CLEAN AIR ACT AMENDMENT OF 1990

This product does not contain and has not contacted during manufacture any Ozone depleting substances.

SECTION 9: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/E

AUTOIGNITION TEMPERATURE: N/A

EXTINGUISHING MEDIA: Water, Mist, CO₂, and Dry Chemical

FLAMMABLE: LOWER N/A

UPPER N/A

SPECIAL PROCEDURES: Use Breathing Apparatus

UNUSUAL FIRE/EXPLOSIVE HAZARDS: None

SECTION 10: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Temperatures of 212 F or over will cause boiling of water

INCOMPATIBILITY: Treat as water, avoid strong oxides

HAZARDOUS POLYMERIZATION: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition on burning may produce toxic gasses, such as carbon dioxide

SECTION 11: USER'S RESPONSIBILITY

Glissen Chemical Co., Inc. cannot anticipate all conditions of handling and use of this product. Therefore, Glissen Chemical Co., Inc. accepts no responsibility for results obtained by application of this information, or safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Glissen Chemical Co., Inc. will accept no liability for damages or loss incurred from the improper handling and use of this product.

SECTION 12: SPECIAL PRECAUTIONS

PRECAUTION: READ MSDS BEFORE USE

SECTION 13: GLOSSARY

N/A	Not Available or Not Applicable
N/D	Not Determined
N/E	Not Established
PEL	Permissible Exposure Limits
TLV	Threshold Limit Value
UN	Unavailable